



Summer 2008 Laundry Catalog



## Maytag® washers last longer than any other leading brand

Based on independent research of over 5,000 surveys processed, 2006.



## Contents

|                                             |    |
|---------------------------------------------|----|
| Maytag® Laundry .....                       | 3  |
| Front-Load Laundry Pairs .....              | 4  |
| High-Efficiency Top-Load Laundry Pairs..... | 10 |
| Top-Load Laundry Pairs.....                 | 14 |
| Specialty Laundry .....                     | 20 |
| Laundry 1-2-3™ Custom Laundry Options.....  | 24 |
| Feature Definitions .....                   | 26 |
| Optional Accessories .....                  | 28 |
| Specifications .....                        | 29 |

# Maytag® Laundry

When it comes to appliances, if it doesn't have a steadfast record of strength and performance—it isn't worth the materials from which it was formed. That's why every shirt you wash and every blanket you dry in a Maytag® laundry pair becomes a perfect example of proven performance. Built with Maytag® Commercial Technology (MCT), select washers and dryers feature long-lasting, commercial-grade components for your home. That's quality you can count on.



## Front-Load Laundry Pairs

- Maytag® Commercial Technology (MCT) in select washers and dryers
- Steam-enhanced cycles in select washers and dryers
- Generous capacity for all your loads of laundry
- Multiple installation options



## High-Efficiency Top-Load Laundry Pairs

- Maytag® Commercial Technology (MCT)
- Steam-enhanced cycles in select dryers
- Generous capacity for all your loads of laundry
- Lids and doors with commercial-grade glass windows on select washers and dryers



## Top-Load Laundry Pairs

- Maytag® Commercial Technology (MCT)
- Commercial-grade transmission with components (drive shaft, spin gear and synthetic oil) that are tested to twice the life
- Porcelain or stainless steel wash baskets



## Specialty Laundry

- Single-unit or compact pairs
- Commercial-grade parts that last
- QuietSeries™ sound packages

# Front-Load Laundry Pairs

**Maytag® washers last longer than any other leading brand**

Based on independent research of over 5,000 surveys processed, 2006.



**PERFORMANCE SERIES**



**EPIC z**

## Is this product right for you?

### How well does your washer remove ground-in dirt, set-in soils and stains?

Select Performance Series washers feature the SteamClean and Oxi Treat options. SteamClean delivers a boost of steam that penetrates deep into fabric fibers to lift out dirt and grime for a more thorough clean. Oxi Treat dispenses a stain-fighting additive into the wash at the right time to remove tough stains like red wine, coffee and grass.

### Do you wash multiple loads in a day? Does your dryer take more time than your washer to complete a load?

Performance Series and EPIC z® washers feature up to 4.4 and 3.7 cu. ft. I.E.C. capacities, respectively—allowing you to wash more clothes in every load, resulting in fewer loads per week. In the dryer, ample capacity combines with the GentleBreeze™ drying system to dry the same size load in the time it takes to wash it, based on a 9 lb. load.


### Are you looking for a laundry pair that makes the most of your space?

EPIC z® washers and dryers each fit in a 27" wide by 36" high area to streamline the space in your laundry room. These washers and dryers can be installed next to each other, stacked or under a cabinet to further accommodate your laundry room needs.

Products shown with optional 15.5" pedestals. See page 25 for more information.

Models on Left: MHWE900VJ, ME/GDE900VJ & XHP1550VJ  
Models on Right: MHWZ600TW, ME/GDZ600TW & XHP1550VW

## Key Product Features



### Maytag® Commercial Technology (MCT)

From springs and belts to motors and side panels—Performance Series laundry pairs bring long-lasting, commercial-grade components into your home.



### Steam Sanitization Cycles

The first Maytag® front-load washer with multiple cycles that deep clean your clothes by eliminating at least 95% of tested allergens.\*

(Models MHWE900V and MHWE500V only.)



### Oxi Treat Option

Automatically dispenses oxygenated stain-fighting pre-treater during the prewash to tackle tough stains like red wine, coffee and grass. Works with both powder and liquid.

(Model MHWE900V only.)



### Rainfall Clean™ Wash System

A unique 138-hole, 3-baffle design scoops up water and showers it onto fabrics for thorough saturation, giving detergent more time to break down tough stains.

(Models MHWZ600T and MHWZ400T only.)



### Steam Refresh Dryer Cycles

A fine mist combines with heat to create steam while clothes are tumbling to remove odors and relax wrinkles from a few items or an entire load.

(Models ME/GDE900V and ME/GDE500V only.)



### NSF Certified Sanitary Drying Cycle

The first Sanitary cycle available on a Maytag® dryer, it allows you to sanitize items that you prefer not to wash, like pillows or stuffed animals.

(Models ME/GDE900V and ME/GDE500V only.)

\*Common allergens tested were dust mites and pet dander. Can be used with Whitest Whites and Heavy Duty cycles only when the "Sanitize" water temperature is selected.

Performance Series Front-Load Washers



**MHWE900V**  
4.4 cu. ft. I.E.C. capacity  
1 Steam cycle  
W/J



**MHWE500V**  
4.0 cu. ft. I.E.C. capacity  
1 Steam cycle  
W/P



**MHWE300V**  
4.0 cu. ft. I.E.C. capacity  
W/F

**See how it works:**  
Press POWER. Turn dial to DRAIN/SPIN. Select NO SPIN. Within 5 seconds of each other, press PRE-WASH, WATER TEMP, PRE-WASH and WATER TEMP.\*

Performance Series Front-Load Dryers



The industry's  
largest capacity  
front-load dryer



**ME/GDE900V**  
7.5 cu. ft. capacity  
2 Steam cycles  
W/J



**ME/GDE500V**  
7.0 cu. ft. capacity  
2 Steam cycles  
W/P



**ME/GDE300V**  
7.0 cu. ft. capacity  
W/F

Available Colors



(W)  
White



(J)  
Oxide



(P)  
Evergreen



(F)  
Crimson

| Washer Models                                        | MHWE900V                       | MHWE500V                       | MHWE300V                       |
|------------------------------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Replaces Model                                       |                                |                                | MFW9800T                       |
| Capacity (cu. ft. I.E.C.)                            | SuperSize Capacity Plus<br>4.4 | SuperSize Capacity Plus<br>4.0 | SuperSize Capacity Plus<br>4.0 |
| Maytag® Commercial Technology (MCT)                  | •                              | •                              | •                              |
| Sensi-Care™ wash system                              | •                              | •                              | •                              |
| ENERGY STAR® qualified                               | CEE Tier III**                 | CEE Tier III**                 | CEE Tier II**                  |
| Automatic wash cycles/options                        | 11/4                           | 10/3                           | 9/3                            |
| Sanitization cycles                                  | with Steam                     | with Steam                     | NSF Certified non-steam        |
| SteamClean option                                    | •                              | •                              |                                |
| Oxi Treat option                                     | •                              |                                |                                |
| Delay Start option                                   | 16-Hour                        | 10-Hour                        | 8-Hour                         |
| Temperature settings                                 | 5                              | 4                              | 4                              |
| Soil levels                                          | 3 (Light, Normal, Heavy)       | 3 (Light, Normal, Heavy)       | 3 (Light, Normal, Heavy)       |
| IntelliTemp™ automatic temperature control           | •                              | •                              | •                              |
| IntelliFill™ automatic water level sensor            | •                              | •                              | •                              |
| Variable speed motor<br>with preselected spin speeds | •                              | •                              | •                              |
| QuietSeries™ sound package                           | 400                            | 300                            | 300                            |
| 1,000-Watt water heater                              | •                              | •                              | •                              |
| Sensor-controlled suds detection                     | •                              | •                              | •                              |
| Timed release detergent system                       | •                              | •                              | •                              |
| Dispenser drawer                                     | 4-Tray (adds Oxi Dispenser)    | 3-Tray                         | 3-Tray                         |
| Cycle status lights                                  | •                              | •                              | •                              |
| Estimated time remaining display                     | •                              | •                              | •                              |
| Add-a-garment indicator                              | •                              | •                              | •                              |
| End-of-cycle signal                                  | •                              | •                              | •                              |
| Control lockout                                      | •                              | •                              | •                              |
| Extra-large window                                   | •                              | •                              | •                              |
| Front serviceable                                    | •                              | •                              | •                              |
| Dimensions (H x W x D)                               | 38" x 27" x 32-9/16"           | 38" x 27" x 31-1/2"            | 38" x 27" x 31-1/2"            |
| Colors                                               | W/J                            | W/P                            | W/F                            |

| Dryer Models                                           | MEDE900V (Electric)<br>MGDE900V (Gas) | MEDE500V (Electric)<br>MGDE500V (Gas) | MEDE300V (Electric)<br>MGDE300V (Gas) |
|--------------------------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Replaces Model                                         |                                       |                                       | MED9800T (Electric)<br>MGD9800T (Gas) |
| Capacity (cu. ft.)                                     | SuperSize Capacity Plus<br>7.5        | SuperSize Capacity Plus<br>7.0        | SuperSize Capacity Plus<br>7.0        |
| Maytag® Commercial Technology (MCT)                    | •                                     | •                                     | •                                     |
| GentleBreeze™ drying system<br>with IntelliDry® sensor | •                                     | •                                     | •                                     |
| Automatic drying cycles/<br>temperature settings       | 11/5                                  | 9/5                                   | 7/5                                   |
| NSF Certified Sanitary cycle                           | •                                     | •                                     |                                       |
| Steam Rapid Refresh cycle                              | •                                     | •                                     |                                       |
| Steam Custom Refresh cycle                             | •                                     | •                                     |                                       |
| Wrinkle Prevent option                                 | up to 140 minutes                     | up to 120 minutes                     | up to 120 minutes                     |
| QuietSeries™ sound package                             | 400                                   | 300                                   | 300                                   |
| DuraCushion™ dryer drum                                | •                                     | •                                     | •                                     |
| Interior light                                         | •                                     | •                                     | •                                     |
| 4-Way electric, 3-way gas venting                      | •                                     | •                                     | •                                     |
| Estimated time remaining display                       | •                                     | •                                     | •                                     |
| End-of-cycle signal                                    | •                                     | •                                     | •                                     |
| Control lockout                                        | •                                     | •                                     | •                                     |
| Extra-large window                                     | •                                     | •                                     | •                                     |
| Reversible swing door                                  | •                                     | •                                     | •                                     |
| Direct feed, easy-plumb<br>(DFP) water hook-up         | •                                     | •                                     |                                       |
| Front serviceable                                      | •                                     | •                                     | •                                     |
| Dimensions (H x W x D)                                 | 38" x 27" x 32-9/16"                  | 38" x 27" x 31-1/2"                   | 38" x 27" x 31-1/2"                   |
| Colors                                                 | W/J                                   | W/P                                   | W/F                                   |

**Maytag® Commercial Technology:**

- Durable metal motor and drive system
- Commercial-grade belts and bearings
- Commercial-grade, tilted stainless steel wash basket
- Smooth Balance™ suspension system
- Solid steel baseframe
- Steel side panels
- Heavy-duty, die-cast door hinge

\*\*The CEE Tier System is based upon the Department of Energy Consortium for Energy Efficiency ratings. Feature definitions can be found in the glossary on pages 26-27. Accessories, including LP conversion and stacking kits, can be found on page 28. Complete product specifications can be found on page 29.

# EPIC z® Front-Load Washers



**MHWZ600T**  
3.7 cu. ft. I.E.C. capacity  
W/B/E



**MHWZ400T**  
3.7 cu. ft. I.E.C. capacity  
Q/B\*

**See how it works:**  
Press DELAY. Press EXTRA RINSE. Press DELAY. Press EXTRA RINSE.\*\*

# EPIC z® Front-Load Dryers



**ME/GDZ600T**  
6.7 cu. ft. capacity  
W/B/E



**ME/GDZ400T**  
6.7 cu. ft. capacity  
Q

## Available Colors



**(W)**  
White  
with Chrome



**(B)**  
Black  
with Chrome



**(E)**  
Slate Blue  
with Chrome



**(Q)**  
White

\*If ordering washer MHWZ400TB, order dryer ME/GDZ600TB.  
\*\*Shipping bolts must be removed prior to running the demo mode.  
Products shown with optional 15.5" pedestals. See page 25 for more information.

| Washer Model                                               | MHWZ600T                                 | MHWZ400T                                 |
|------------------------------------------------------------|------------------------------------------|------------------------------------------|
| Capacity (cu. ft. I.E.C.)                                  | SuperSize Capacity Plus<br>3.7           | SuperSize Capacity Plus<br>3.7           |
| Rainfall Clean™ wash system<br>with Sensi-Care™ technology | •                                        | •                                        |
| ENERGY STAR® qualified                                     | CEE Tier III†                            | CEE Tier III†                            |
| Automatic wash cycles                                      | 10                                       | 8                                        |
| Clean Washer cycle                                         | •                                        | •                                        |
| Wash options                                               | 4                                        | 2                                        |
| MaxExtract™ extended spin option                           | •                                        | •                                        |
| Temperature settings                                       | 5                                        | 4                                        |
| Delay Start option                                         | 10-Hour                                  | 8-Hour                                   |
| IntelliTemp™ automatic temperature control                 | •                                        | •                                        |
| IntelliFill™ automatic water level sensor                  | •                                        | •                                        |
| QuietSeries™ sound package                                 | 400                                      | 300                                      |
| Maximum spin speed (RPM)                                   | up to 1,200††                            | up to 1,100††                            |
| Preselected spin speeds                                    | •                                        | •                                        |
| Internal water heater and<br>NSF Certified Sanitary cycle  | •                                        |                                          |
| 3-Tray dispenser drawer                                    | Detergent, bleach<br>and fabric softener | Detergent, bleach<br>and fabric softener |
| Estimated time remaining display                           | •                                        | •                                        |
| Add-a-garment indicator                                    | •                                        | •                                        |
| Adjustable end-of-cycle signal                             | •                                        | •                                        |
| Control lockout                                            | •                                        | •                                        |
| Variable speed, 1/3-HP high-torque motor                   | •                                        | •                                        |
| Smooth Balance™ suspension system                          | •                                        | •                                        |
| Durable powdercoat-on-steel top                            | •                                        | •                                        |
| Heavy-duty, die-cast door hinge                            | •                                        | •                                        |
| Heavy-duty, rubber-coated<br>inset pocket door handle      | •                                        | •                                        |
| Commercial-grade, stainless steel wash basket              | •                                        | •                                        |
| Solid steel baseframe                                      | •                                        | •                                        |
| Commercial-grade, 8-rib washer belt                        | •                                        | •                                        |
| Hose reversal technology                                   | •                                        | •                                        |
| Front serviceable                                          | •                                        | •                                        |
| Dimensions (H x W x D)                                     | 36" x 27" x 30-1/2"                      | 36" x 27" x 30-1/2"                      |
| Colors                                                     | W/B/E                                    | Q/B*                                     |

| Dryer Model                                            | MEDZ600T (Electric)<br>MGDZ600T (Gas) | MEDZ400T (Electric)<br>MGDZ400T (Gas) |
|--------------------------------------------------------|---------------------------------------|---------------------------------------|
| Capacity (cu. ft.)                                     | SuperSize Capacity Plus<br>6.7        | SuperSize Capacity Plus<br>6.7        |
| GentleBreeze™ drying system<br>with IntelliDry® sensor | •                                     | •                                     |
| Drying cycles                                          | 8                                     | 6                                     |
| Temperature settings                                   | 6                                     | 4                                     |
| 90-Minute Wrinkle Prevent option                       | •                                     | •                                     |
| Smooth Balance™ suspension system                      | •                                     | •                                     |
| QuietSeries™ sound package                             | 400                                   | 300                                   |
| DuraCushion™ dryer drum                                | •                                     | •                                     |
| Interior light                                         | •                                     | •                                     |
| 4-Way electric, 3-way gas venting                      | •                                     | •                                     |
| Control lockout                                        | •                                     | •                                     |
| Estimated time remaining display                       | •                                     | •                                     |
| End-of-cycle signal                                    | •                                     | •                                     |
| Durable powdercoat-on-steel top                        | •                                     | •                                     |
| Reversible dryer door (no kit required)                | •                                     | •                                     |
| Heavy-duty, die-cast door hinge                        | •                                     | •                                     |
| Rubber-coated, inset pocket handle                     | •                                     | •                                     |
| Solid steel baseframe                                  | •                                     | •                                     |
| Commercial-grade, 5-rib dryer belt                     | •                                     | •                                     |
| Front serviceable                                      | •                                     | •                                     |
| Dimensions (H x W x D)                                 | 36" x 27" x 28-9/10" – 32-9/10"       | 36" x 27" x 28-9/10" – 32-9/10"       |
| Colors                                                 | W/B/E                                 | Q                                     |

†The CEE Tier System is based upon the Department of Energy Consortium for Energy Efficiency ratings. ††With MaxExtract™ option on select cycles. Feature definitions can be found in the glossary on pages 26-27. Accessories, including LP conversion and stacking kits, can be found on page 28. Complete product specifications can be found on page 29.

# High-Efficiency Top-Load Laundry Pairs

**Maytag® washers last longer  
than any other leading brand**

Based on independent research of over 5,000 surveys processed, 2006.



## Is this product right for you?

**Is your current washer able to clean giant loads of laundry? Do you ever split up loads so that they dry faster?**

The Bravos® washer features an IntelliClean™ impeller instead of an agitator, creating a 4.7 cu. ft. I.E.C. capacity and making it our largest washer ever! Plus, select dryers feature a 7.3 cu. ft. SuperSize Capacity Plus drum, providing plenty of room to handle the entire wash load in a single cycle.

**Are you concerned about energy usage and the consumption of natural resources?**

The Bravos® high-efficiency top-load washer delivers exceptional cleaning performance, making it our most efficient top-load washer. It features 70% water and 67% energy savings, compared to conventional top-load washers.

**Do you rewash clothing if you've only worn it once? Have you ever left a load of clothing in the dryer overnight?**

The Bravos® Steam dryer features two steam-enhanced cycles that relax wrinkles and remove odors. The Rapid Refresh cycle works wonders on an outfit or a coat, while the Custom Refresh cycle is ideal for an entire load of clothing.

## Key Product Features



### Our Largest Washer Ever!

At 4.7 cu. ft. I.E.C., Bravos® washers provide ample room for your biggest load of laundry—all while using less than half the water and energy compared to conventional top-load washers.



### ENERGY STAR® Qualified with a CEE Tier III Rating

These washers help lower utility bills while delivering excellent cleaning results. With a Tier III qualification from the Consortium for Energy Efficiency (CEE), these top-load washers are listed among the most efficient washers in the industry.



### Smooth Balance™ Suspension System with Superior Vibration Control (SVC)

Thanks to a reliable magnetic direct drive system, dual balance rings, four spring dampers and advanced balancing software—these washers operate smoothly, making upper-floor installation an option.



### Allergen Removal Cycles

Sanitary and Super Wash cycles are proven to remove at least 95% of common allergens from your clothing. Common allergens tested were dust mites and pet dander.

(Model MVWB800V only.)



### Steam-Enhanced Dryer Cycles

Refresh a couple of items or a full load using steam to relax wrinkles and remove odors from dry clothing. The Bravos® Steam dryer connects to an existing water line, so there's no need to fill a reservoir.

(Model ME/GDB800V only.)



### Maytag® Commercial Technology (MCT)

From the wash basket to the dryer drum rollers, Bravos® laundry pairs bring long-lasting, commercial-grade components into your home.

# Bravos® High-Efficiency Top-Load Washers



**MVWB800V**  
4.7 cu. ft. I.E.C. capacity  
Sanitary and Allergen cycles  
Q/B/U



**MVWB700V**  
4.7 cu. ft. I.E.C. capacity  
Q



**MVWB400V**  
4.7 cu. ft. I.E.C. capacity  
Q

# Bravos® Dryers



**ME/GDB800V**  
7.3 cu. ft. capacity  
2 Steam cycles  
Q/B/U



**ME/GDB700V**  
7.3 cu. ft. capacity  
Q



**ME/GDB400V**  
7.3 cu. ft. capacity  
Q



**ME/GDB200V**  
6.8 cu. ft. capacity  
27-1/2" Depth  
Q

## Available Colors



(Q)  
White



(B)  
Black



(U)  
Silver

| Washer Model                                                            | MVWB800V                                   | MVWB700V                              | MVWB400V                              |
|-------------------------------------------------------------------------|--------------------------------------------|---------------------------------------|---------------------------------------|
| Replaces Model                                                          |                                            | MTW6700T                              | MTW6500T                              |
| Capacity (cu. ft. I.E.C.)                                               | SuperSize Capacity Plus 4.7                | SuperSize Capacity Plus 4.7           | SuperSize Capacity Plus 4.7           |
| Maytag® Commercial Technology (MCT)                                     | •                                          | •                                     | •                                     |
| ENERGY STAR® qualified                                                  | CEE Tier III*                              | CEE Tier III*                         | CEE Tier III*                         |
| Sensi-Care™ wash system with IntelliClean™ impeller                     | •                                          | •                                     | •                                     |
| 1,200-Watt water heater                                                 | with Clean Boost option                    |                                       |                                       |
| Sanitary with Oxi cycle                                                 | NSF Certified                              |                                       |                                       |
| Allergen removal feature                                                | •                                          |                                       |                                       |
| Automatic wash cycles                                                   | 14                                         | 13                                    | 13                                    |
| Soil levels                                                             | 4                                          | 3                                     | 3                                     |
| Clean Washer cycle                                                      | •                                          | •                                     | •                                     |
| Selectable spin speeds                                                  | 4                                          | 4                                     | 4                                     |
| MaxExtract™ extended spin                                               | •                                          | •                                     | •                                     |
| Delay Start option                                                      | up to 10 hours                             |                                       |                                       |
| Temperature settings                                                    | 5                                          | 4                                     | 4                                     |
| Automatic temperature control                                           | •                                          | •                                     | •                                     |
| IntelliFill™ automatic water level sensor                               | •                                          | •                                     | •                                     |
| QuietSeries™ sound package                                              | 400                                        | 300                                   | 300                                   |
| Maximum spin speed (RPM)                                                | up to 1,000                                | up to 1,000                           | up to 1,000                           |
| Automatic dispensers                                                    | Oxi, detergent, bleach and fabric softener | Detergent, bleach and fabric softener | Detergent, bleach and fabric softener |
| PureClean™ rinse system with SpinSpray™ rinse                           | •                                          | •                                     | •                                     |
| Water save spray rinse                                                  | •                                          | •                                     | •                                     |
| Adjustable end-of-cycle signal                                          | •                                          | •                                     | •                                     |
| Estimated time remaining display                                        | •                                          | •                                     | •                                     |
| Durable powdercoat-on-steel top                                         | •                                          | •                                     | •                                     |
| Dial controls with auto control wake-up                                 | •                                          | •                                     | •                                     |
| Last cycle recall                                                       | •                                          | •                                     | •                                     |
| Wide-opening lid with SmoothClose™ hinge                                | Commercial-grade glass window              | Commercial-grade glass window         | Solid Spill-Catcher™ lid              |
| Full-width lid bumper                                                   | •                                          | •                                     | •                                     |
| Seamless front edges                                                    | •                                          | •                                     | •                                     |
| Smooth Balance™ suspension system with Superior Vibration Control (SVC) | •                                          | •                                     | •                                     |
| Steel cabinet and reinforced baseframe                                  | •                                          | •                                     | •                                     |
| Zinc-coated, tuned leveling legs                                        | •                                          | •                                     | •                                     |
| Front serviceable                                                       | •                                          | •                                     | •                                     |
| Self-cleaning lint removal system                                       | •                                          | •                                     | •                                     |
| Dimensions (H x W x D)                                                  | 44" x 28" x 27"                            | 44" x 28" x 27"                       | 44" x 28" x 27"                       |
| Colors                                                                  | Q/B/U                                      | Q                                     | Q                                     |

| Dryer Model                                                      | MEDB800V (Electric)<br>MGDB800V (Gas) | MEDB700V (Electric)<br>MGDB700V (Gas) | MEDB400V (Electric)<br>MGDB400V (Gas) | MEDB200V (Electric)<br>MGDB200V (Gas) |
|------------------------------------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Replaces Model                                                   | MED6600T (Electric)<br>MGD6600T (Gas) | MED6400T (Electric)<br>MGD6400T (Gas) | MED6300T (Electric)<br>MGD6300T (Gas) |                                       |
| Capacity (cu. ft.)                                               | SuperSize Capacity Plus 7.3           | SuperSize Capacity Plus 7.3           | SuperSize Capacity Plus 7.3           | SuperSize Capacity Plus 6.8           |
| Maytag® Commercial Technology (MCT)                              | •                                     | •                                     | •                                     | •                                     |
| GentleBreeze™ drying system                                      | •                                     | •                                     | •                                     | •                                     |
| IntelliDry® sensor                                               | •                                     | •                                     | •                                     | •                                     |
| Drying cycles                                                    | 9                                     | 7                                     | 7                                     | 7                                     |
| Steam cycles with direct-feed easy-plumb (DFP) water hook-up     | Rapid Refresh and Custom Refresh      |                                       |                                       |                                       |
| Temperature settings                                             | 5                                     | 5                                     | 5                                     | 5                                     |
| Wrinkle Prevent option                                           | up to 150 minutes                     | up to 90 minutes                      | up to 90 minutes                      | up to 90 minutes                      |
| Smooth Balance™ suspension system                                | •                                     | •                                     | •                                     | •                                     |
| QuietSeries™ sound package                                       | 400                                   | 300                                   | 300                                   | 300                                   |
| DuraCushion™ dryer drum                                          | •                                     | •                                     | •                                     | •                                     |
| Interior light                                                   | Selectable                            | Selectable                            | •                                     | •                                     |
| Adjustable end-of-cycle signal                                   | •                                     | •                                     | •                                     | •                                     |
| Damp Dry signal                                                  | •                                     | •                                     | •                                     | •                                     |
| Estimated time remaining display                                 | •                                     | •                                     | •                                     | •                                     |
| Durable powdercoat-on-steel Spill-Catcher™ top                   | •                                     | •                                     | •                                     | •                                     |
| Dial controls with auto control wake-up                          | •                                     | •                                     | •                                     | •                                     |
| Last cycle recall                                                | •                                     | •                                     | •                                     | •                                     |
| Reversible side-swing door                                       | Commercial-grade glass window         | Commercial-grade glass window         | •                                     | •                                     |
| Front lint filter                                                | •                                     | •                                     | •                                     | •                                     |
| Steel cabinet and reinforced baseframe                           | •                                     | •                                     | •                                     | •                                     |
| 360° Front and rear heat seal                                    | •                                     | •                                     | •                                     | •                                     |
| 1/3-HP high torque motor                                         | •                                     | •                                     | •                                     | •                                     |
| 1,950 RPM blower with 100-foot vent length                       | •                                     | •                                     | •                                     | •                                     |
| 2-way internal, optional 4-way external venting with kit (49610) | •                                     | •                                     | •                                     | •                                     |
| Front serviceable                                                | •                                     | •                                     | •                                     | •                                     |
| Flat back construction                                           | •                                     | •                                     | •                                     | •                                     |
| Dimensions (H x W x D)                                           | 44" x 29" x 29-1/2"                   | 44" x 29" x 29-1/2"                   | 44" x 29" x 29-1/2"                   | 44" x 29" x 27-1/2"                   |
| Colors                                                           | Q/B/U                                 | Q                                     | Q                                     | Q                                     |

**Maytag® Commercial Technology:**

- Commercial-grade, stainless steel wash basket
- Commercial-grade washer drive system bearings
- Commercial capacity, direct drive infinite speed motor
- Commercial-grade glass window
- Commercial-grade, 5-rib dryer belt
- Commercial-grade, premium dryer drum rollers

\*The CEE Tier System is based upon the Department of Energy Consortium for Energy Efficiency ratings. Feature definitions can be found in the glossary on pages 26-27. Accessories, including LP conversion kits, can be found on page 28. Complete product specifications can be found on page 30.

# Top-Load Laundry Pairs

**Maytag® washers last longer  
than any other leading brand**

Based on independent research of over 5,000 surveys processed, 2006.



**CENTENNIAL®**  
LAUNDRY PAIR

## Is this product right for you?

### **Was your previous top-load laundry pair built to last with commercial-grade parts?**

Centennial® laundry pairs feature Maytag® Commercial Technology (MCT), which is a series of long-lasting, commercial-grade components for your home. This includes the washer's transmission, steel-reinforced baseframe and leveling legs, plus the dryer's belt, drum rollers, steel-reinforced baseframe and 1/3-HP motor.

### **Has your current washer ever snagged clothing? Do sweaters pill in your washer?**

Centennial® washers feature a stainless steel or porcelain-on-steel wash basket that maintains a smooth surface. Clothes move gently through the wash cycle without snagging or pilling.

### **Does your dryer tend to overdry your clothes with high heat?**

Thanks to the GentleBreeze™ drying system, you'll no longer have to worry. It quickly and efficiently dries clothes for more consistent results. Plus, the IntelliDry® sensor measures moisture to stop the cycle when complete. This prevents overdrying, and could save you up to \$140 over the life of the dryer.\*

*\*Compared to AutoDry,  
7.0 cu. ft. electric dryers only.*

## Key Product Features



### Maytag® Commercial Technology (MCT)

From the transmission to the baseframes—Centennial® laundry pairs feature long-lasting, commercial-grade components for your home.



### Commercial-Grade Transmission

Centennial® washers offer a transmission that features components that have been tested to twice the life. These components include the drive shaft, spin gear and synthetic oil.



### Steel Lid with Glass Window

Model MVWC700V features a scratch- and shatter-resistant glass window that lets you keep an eye on clothes during cleaning. All Centennial® washers feature a steel lid that closes off the interior of the washer, but opens wide for easy loading and unloading.



### DependableClean™ Wash System

Keeps clothes looking their best. The agitator, rinse cycles and drain join forces to provide a reliable clean, wash after wash.



### GentleBreeze™ Drying System

Quickly and efficiently dries clothing with consistent results. Select models also feature the IntelliDry® sensor, which monitors moisture levels to minimize overdrying and shrinking.



### DuraCushion™ Dryer Drum

The white powdercoat dryer drum provides dependable tumbling with less friction and wear. Clothes gently glide off its surface without snagging.

# Centennial® Top-Load Washers



**MVWC700V**  
3.5 cu. ft. capacity  
W/J\*



**MVWC500V**  
3.5 cu. ft. capacity  
W



**MVWC400V**  
3.5 cu. ft. capacity  
W



**MVWC300V**  
3.2 cu. ft. capacity  
W

## Available Color



(W)  
White

| Washer Models                          | MVWC700V                       | MVWC500V                       | MVWC400V                       | MVWC300V                  |
|----------------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Replaces Model                         | MTW5900T                       | MTW5800T                       | MTW5700T                       | MTW5600T                  |
| Capacity (cu. ft.)                     | SuperSize Capacity Plus<br>3.5 | SuperSize Capacity Plus<br>3.5 | SuperSize Capacity Plus<br>3.5 | SuperSize Capacity<br>3.2 |
| Maytag® Commercial Technology (MCT)    | •                              | •                              | •                              | •                         |
| DependableClean™ wash system           | •                              | •                              | •                              | •                         |
| Automatic wash cycles                  | 18                             | 16                             | 12                             | 10                        |
| Temperature settings                   | 4                              | 4                              | 4                              | 4                         |
| Automatic temperature control          | •                              | •                              | •                              | •                         |
| QuietSeries™ sound package             | 200                            | 100                            | 100                            | 100                       |
| Speed combinations                     | 5                              | 4                              | 3                              | 2                         |
| 1/2-HP drain pump                      | •                              | •                              | •                              | •                         |
| LoadFlex™ agitator                     | •                              | •                              | •                              | •                         |
| 100° Arc of agitation                  | •                              | •                              | •                              | •                         |
| Bleach and fabric softener dispenser   | •                              | •                              | •                              | •                         |
| Metallic shine console styling & knobs | W - Silver, J - Gold*          | Silver                         | Silver                         | Silver                    |
| PureClean™ rinse system                | •                              | •                              | •                              | •                         |
| Extra Rinse option                     | •                              | •                              | •                              | •                         |
| End-of-cycle signal                    | •                              | •                              | •                              | •                         |
| One-piece drain hose                   | •                              | •                              | •                              | •                         |
| Spill-Catcher™ top                     | •                              | •                              | •                              | •                         |
| Wide-opening, heavy-gauge steel lid    | Glass window                   | •                              | •                              | •                         |
| Full-width lid bumper                  | •                              | •                              | •                              | •                         |
| Seamless front edges                   | •                              | •                              | •                              | •                         |
| Smooth Balance™ suspension system      | •                              | •                              | •                              | •                         |
| Wash basket                            | Stainless steel                | Stainless steel                | White porcelain-on-steel       | White porcelain-on-steel  |
| Commercial-grade drive coupler         | •                              | •                              | •                              | •                         |
| Front serviceable                      | •                              | •                              | •                              | •                         |
| Dimensions (H x W x D)                 | 43" x 26-7/8" x 25-1/2"        | 43" x 26-7/8" x 25-1/2"        | 43" x 26-7/8" x 25-1/2"        | 43" x 26-7/8" x 25-1/2"   |
| Colors                                 | W/J*                           | W                              | W                              | W                         |

**Maytag® Commercial Technology:**

- Commercial-grade transmission
- Commercial-grade, steel-reinforced baseframe
- Zinc-coated leveling legs

\*Available November 2008.

Feature definitions can be found in the glossary on pages 26-27.

Accessories can be found on page 28. Complete product specifications can be found on page 30.

Centennial® Dryers



**ME/GDC700V**  
7.4 cu. ft. capacity  
W/J\*



**ME/GDC500V**  
7.0 cu. ft. capacity  
W



**ME/GDC400V**  
7.0 cu. ft. capacity  
W

Available Color



(W)  
White

| Dryer Models                           | MEDC700V (Electric)<br>MGDC700V (Gas)         | MEDC500V (Electric)<br>MGDC500V (Gas)   | MEDC400V (Electric)<br>MGDC400V (Gas)   |
|----------------------------------------|-----------------------------------------------|-----------------------------------------|-----------------------------------------|
| Replaces Model                         | MED5800T (Electric)<br>MGD5800T (Gas)         | MED5700T (Electric)<br>MGD5700T (Gas)   | MED5600T (Electric)<br>MGD5600T (Gas)   |
| Capacity (cu. ft.)                     | SuperSize Capacity Plus<br>7.4                | SuperSize Capacity<br>7.0               | SuperSize Capacity<br>7.0               |
| Maytag® Commercial Technology (MCT)    | •                                             | •                                       | •                                       |
| GentleBreeze™ drying system            | •                                             | •                                       | •                                       |
| IntelliDry® sensor                     | •                                             | •                                       | •                                       |
| Drying cycles                          | 12                                            | 11                                      | 7                                       |
| Temperature settings                   | 5                                             | 4                                       | 3                                       |
| Wrinkle Prevent option                 | up to 90 minutes (on/off)                     | up to 90 minutes (on/off)               | up to 30 minutes                        |
| Timed dry option                       | up to 80 minutes                              | up to 70 minutes                        | up to 60 minutes                        |
| Smooth Balance™ suspension system      | 4 Drum rollers                                | 2 Drum rollers, 2 drum glides           | 2 Drum rollers, 2 drum glides           |
| QuietSeries™ sound package             | 200                                           | 100                                     | 100                                     |
| DuraCushion™ dryer drum                | •                                             | •                                       | •                                       |
| Interior light                         | •                                             | •                                       | •                                       |
| Adjustable end-of-cycle signal         | •                                             | •                                       | •                                       |
| Spill-Catcher™ top                     | •                                             | •                                       | •                                       |
| Metallic shine console styling & knobs | W - Silver, J - Gold*                         | Silver                                  | Silver                                  |
| Reversible side-swing door             | •                                             | •                                       | •                                       |
| 360° Front and rear heat seal          | •                                             | •                                       | •                                       |
| Front serviceable                      | •                                             | •                                       | •                                       |
| 64-Foot vent length                    | 4-way electric,<br>3-way gas internal venting | 4-way external venting with kit (49610) | 4-way external venting with kit (49610) |
| Dimensions (H x W x D)                 | 43" x 27" x 29-1/4"                           | 43" x 29" x 27-13/16"                   | 43" x 29" x 27-13/16"                   |
| Colors                                 | W/J*                                          | W                                       | W                                       |

**Maytag® Commercial Technology:**

- Commercial-grade, 1/3-HP motor
- Commercial-grade, 5-rib belt
- Premium drum rollers
- Commercial-grade, steel-reinforced baseframe

\*Available November 2008.

Feature definitions can be found in the glossary on pages 26-27.

Accessories, including LP conversion kits, can be found on page 28. Complete product specifications can be found on page 30.

# Specialty Laundry



## Is this product right for you?

**Does your current laundry pair take up too much space? Would you prefer to keep it hidden in a closet?**

The stacked laundry pair provides reliable cleaning in a vertical format. With the dryer on top of the washer, this unit fits inside your laundry closet with ease.

**Are you interested in a front-load laundry pair? Do you lack the space in which to install such a pair?**

A 24" compact front-load laundry pair packs power into a small frame. It fits perfectly under the counter, or stacked in a convenient corner of your home.

**How loud is your current laundry pair?**

Maytag® stacked laundry pairs feature the Smooth Balance™ suspension system, which acts like a set of shock absorbers to reduce excess noise.

## Key Product Features



### DependableClean™ Wash System

Keeps clothes looking their best. The agitator, rinse cycles and drain work together to provide a reliable clean, wash after wash.

*(Models MET3800T and MGT3800T only.)*



### Commercial-Grade, Stainless Steel Wash Basket

Resists chips, scratches and odors. Super-tough stainless steel maintains a smooth surface so it won't snag or pill fabrics.

*(Model MAH2400AW only.)*



### Metallic Console Styling

Metallic knobs highlight the strong, dependable console.

*(Models MET3800T and MGT3800T only.)*



### GentleBreeze™ Drying System

Quickly and efficiently dries clothes in a counterclockwise loop to touch the entire load for more consistent results.



### DuraCushion™ Dryer Drum

The white powdercoat dryer drum provides dependable tumbling with less friction and wear. Clothes gently glide off its surface without snagging.

*(Models MET3800T and MGT3800T only.)*



### QuietSeries™ Sound Package

Reduces excess noise and vibration, keeping operational sounds inside the washer and dryer and out of living areas.

# Stacked Laundry Pair



## ME/GT3800T

2.6 cu. ft. capacity washer  
5.9 cu. ft. capacity dryer  
W

| Model                                           | MET3800T (Electric)<br>MGT3800T (Gas) |
|-------------------------------------------------|---------------------------------------|
| Washer Features                                 |                                       |
| Capacity (cu. ft.)                              | 2.6                                   |
| Front panel dial controls                       | •                                     |
| Metallic console styling                        | •                                     |
| LoadFlex™ agitator                              | •                                     |
| Porcelain-on-steel wash basket                  | •                                     |
| Speed combinations                              | 3                                     |
| Smooth Balance™ suspension system               | •                                     |
| DependableClean™ wash system                    | •                                     |
| Wash cycles                                     | 9                                     |
| Temperature settings                            | 4                                     |
| Water levels                                    | 4                                     |
| Automatic temperature control                   | •                                     |
| Delicates cycle                                 | •                                     |
| Prewash cycle                                   | •                                     |
| Automatic bleach and fabric softener dispensers | •                                     |
| QuietSeries™ sound package                      | 200                                   |
| Self-cleaning lint removal system               | •                                     |
| Dryer Features                                  |                                       |
| Capacity (cu. ft.)                              | 5.9                                   |
| Front panel dial controls                       | •                                     |
| Metallic console styling                        | •                                     |
| GentleBreeze™ drying system                     | •                                     |
| IntelliDry® sensor                              | •                                     |
| Adjustable degree of dryness                    | •                                     |
| Drying cycles                                   | 6                                     |
| Temperature settings                            | 3                                     |
| Timed Dry cycle                                 | •                                     |
| Air Fluff cycle                                 | •                                     |
| Wrinkle Prevent option                          | •                                     |
| End-of-cycle signal                             | •                                     |
| Interior light                                  | •                                     |
| DuraCushion™ dryer drum                         | •                                     |
| QuietSeries™ sound package                      | 200                                   |
| Dimensions (H x W x D)                          | 73" x 27-1/2" x 27-1/2"               |
| Color                                           | W                                     |

## Available Color



(W)  
White

## 24" Front-Load Laundry Pair



### MAH2400AW

2.4 cu. ft. I.E.C. capacity

W



### MDE2400AY

3.7 cu. ft. capacity

W

| Washer Model                                              | MAH2400AW               |
|-----------------------------------------------------------|-------------------------|
| Capacity (cu. ft. I.E.C.)                                 | 2.4                     |
| LED controls                                              | •                       |
| Commercial-grade, stainless steel wash basket             | •                       |
| Motor speed                                               | Universal               |
| Speed combinations                                        | 4                       |
| TurboClean wash system                                    | •                       |
| IntelliFill™ water level sensor                           | •                       |
| Temperature settings                                      | 5                       |
| Automatic temperature control                             | •                       |
| Extra Rinse option                                        | •                       |
| Delay Start option                                        | up to 19 hours          |
| Delicates cycle                                           | •                       |
| Handwash cycle                                            | •                       |
| Permanent Press/Wrinkle-Free cycle                        | •                       |
| Colors cycle                                              | •                       |
| Quiet Cycle Select                                        | •                       |
| Automatic detergent, bleach and fabric softener dispenser | •                       |
| End-of-cycle chime                                        | •                       |
| Self-cleaning lint removal system                         | •                       |
| QuietSeries™ sound package                                | 300                     |
| Dimensions (H x W x D)                                    | 33-1/4" x 23-1/2" x 24" |
| Color                                                     | W                       |

| Dryer Model                 | MDE2400AY (Electric)        |
|-----------------------------|-----------------------------|
| Capacity (cu. ft.)          | 3.7                         |
| LED controls                | •                           |
| GentleBreeze™ drying system | •                           |
| AutoDry dryness sensor      | •                           |
| Drying cycles               | 22                          |
| Timed Dry cycle             | •                           |
| Air Fluff cycle             | •                           |
| Damp Dry cycle              | •                           |
| Temperature settings        | 3                           |
| Wrinkle Prevent option      | •                           |
| Low/Delicate temperature    | •                           |
| End-of-cycle chime          | •                           |
| Interior light              | •                           |
| Reversible swing door       | •                           |
| Stainless steel dryer drum  | •                           |
| QuietSeries™ sound package  | 300                         |
| Dimensions (H x W x D)      | 33-1/4" x 23-1/2" x 23-3/4" |
| Color                       | W                           |

### Available Color



(W)  
White

Feature definitions can be found in the glossary on pages 26-27. Accessories, including LP conversion kits, can be found on page 28. Complete product specifications can be found on page 31.

# Laundry 1-2-3™ Towers



## PERFORMANCE SERIES LAUNDRY TOWER

MVP9000T  
37.5" H x 13.5" W x 23.6" D  
Offers storage space between or next to a Performance Series laundry pair  
1 Plastic pull-out organization tray  
2 Large powdercoat-on-steel storage drawers  
Recessed drawer handles  
Retractable steel hanging rod  
Powdercoat-on-steel exterior



## EPIC z™ LAUNDRY TOWER

MVP8600T  
35.2" H x 13.5" W x 23.6" D  
Offers storage space between or next to an EPIC z® laundry pair  
1 Plastic pull-out organization tray  
2 Large powdercoat-on-steel storage drawers  
Recessed drawer handles  
Retractable steel hanging rod  
Powdercoat-on-steel exterior



## BRAVOS™ LAUNDRY TOWER

MVP8600T  
35.2" H x 13.5" W x 23.6" D  
Offers storage space between or next to a Bravos® laundry pair  
1 Plastic pull-out organization tray  
2 Large powdercoat-on-steel storage drawers  
Recessed drawer handles  
Retractable steel hanging rod  
Powdercoat-on-steel exterior  
Removable backsplash (not pictured)



## CENTENNIAL™ LAUNDRY TOWER

MVP5000T  
35.2" H x 13.5" W x 23.6" D  
Offers storage space between or next to a Centennial® laundry pair  
1 Plastic pull-out organization tray  
2 Large powdercoat-on-steel storage drawers  
Drawer handles  
Powdercoat-on-steel exterior  
Backsplash

# Laundry 1-2-3™ Worksurface & Pedestals



## LAUNDRY WORKSURFACE

This no-slip worksurface sits atop a Performance Series or EPICz® laundry pair

- 24 Vibration pads
- Large Spill-Catcher™ mat
- Recessed backsplash
- Supply trays
- Phtalate-free PVC frame

## Product Dimensions

3.7" H x 56.3" W x 25" D

## Available Colors

MW29000T



(W)  
White



(B)  
Black

XW29000V



(P)  
Evergreen



(F)  
Crimson



(J)  
Oxide



(E)  
Slate Blue



## LAUNDRY PEDESTALS

Raise your Performance Series or EPIC z® washer and dryer pair for easier loading and unloading. The storage drawer in the 15.5" pedestal holds all of your laundry extras, including full-size detergent bottles.

## Product Dimensions

15.5" or 10" H x 27" W x 26.5" D

## Available Colors

MHP1000S



(Q)  
White




(B)  
Black

XHP1550V




(W)  
White



(B)  
Black




(P)  
Evergreen



(F)  
Crimson



(J)  
Oxide



(E)  
Slate Blue

# Feature Definitions

## 1/2-HP Drain Pump

This pump is constructed of durable polypropylene and features lubricated, sealed bearings. A heavy-duty rubber impeller protects the powerful drain pump against loose change and other debris.

## 100° Arc of Agitation

The agitator produces a sweeping arc motion that gently rolls clothes through the wash water.

## 360° Front and Rear Heat Seal

This triple-layered seal keeps heat inside the dryer drum for dependable drying performance.

## 4-Tray Dispenser Drawer

The self-cleaning dispenser drawer is easy to open and replenish with prewash additives, detergent, bleach and fabric softener.

## Allergen Removal Cycles

Select Performance Series and Bravos® washers feature cycles that eliminate at least 95% of common allergens from fabrics. Allergens tested were dust mites and pet dander.

## Auto Control Wake-Up

Lifting the lid or touching a knob/button on Bravos® washers and dryers activates the controls for easy programming.

## Automatic Temperature Control

Promotes dependable cleaning performance by ensuring correct water temperatures.

## CEE Tier II & III Energy Ratings

Although all models on the Consortium for Energy Efficiency (CEE) list are efficient, the tiers are structured so that the more efficient products are listed in the higher tiers.

Tier III contains the most efficient washer models in the industry. All EPICz®, Bravos® and most Performance Series washers are listed in Tier III.

Select markets qualify for CEE Tier Energy Rating rebates. Consult your local utility company for any available rebates.

## Clean Boost Option

By selecting this option, the internal water heater on select Bravos® washers maintains selected water temperatures throughout the entire wash cycle. The need for pretreating clothes is reduced while cleaning performance is enhanced.

## Clean Washer Cycle

This special cycle helps rid the wash basket of odor-causing buildup. Add Affresh™ washer cleaner to enhance results.

## Clear, See-Through Lids and Doors

Strong scratch- and shatter-resistant lids and doors allow you to see your laundry as it washes, soaks, spins and dries.

## Commercial Capacity, Direct Drive Infinite Speed Motor

Magnets propel the motor during use, assuring infinite wash, tumble and spin combinations of up to 1,000 RPMs. Plus, the motor's 18 lb. UL capacity rating is commercial grade.

## Commercial-Grade, 1/3-HP Motor

Extra power makes it possible to tumble larger loads with less wear on the motor.

## Commercial-Grade, 5-Rib Dryer Belt

The industry's widest dryer belt stays strong to last long.

## Commercial-Grade, 8-Rib Washer Belt

The industry's widest washer belt stays strong to last long.

## Commercial-Grade Drive Coupler

Proven in commercial settings, the coupler features five layers of reinforcement that transfer power to the agitator.

## Commercial-Grade, Steel-Reinforced Baseframe

Provides added support to all key components and helps minimize vibration in the washer during wash and spin cycles.

## Commercial-Grade Transmission

Built strong with commercial-grade parts, the transmission promises a long life for the heart of the washer.

## Control Lockout

A child safety door latch and locked controls keep little hands from running the washer.

## DependableClean™ Wash System

Keeps clothes looking their best. The agitator, rinse cycles and drain work together to provide a reliable clean, wash after wash.

## Dial Controls

These easy-to-use controls have grip points for comfortable operation.

## Direct Feed, Easy-Plumb (DFP) Water Hook-Up

A solid brass Y-connector delivers water from the cold water inlet directly to the dryer. It eliminates the need to fill a reservoir in dryers that feature steam cycles.

## DuraCushion™ Dryer Drum

Provides dependable tumbling with less friction and wear. Clothes gently glide off its surface without snagging or pilling.

## End-of-Cycle Signal

Signals the end of the cycle and is simple to turn on or off. The volume can be adjusted on select models.

## ENERGY STAR® Qualified

Select Maytag® washers are ENERGY STAR® qualified to help lower utility bills while delivering excellent cleaning performance.

## Estimated Time Remaining Display

Shows the time remaining in the cycle.

## Flat Back Construction

Creates a shorter depth, making it easier to fit the dryer in locations where space is at a premium.

## Front Serviceable

Provides easy access to key components.

## Full-Width Lid Bumper

Creates a seal between the lid and washer opening for quieter operation.

## GentleBreeze™ Drying System

Quickly and efficiently dries clothing for more consistent results.

## Heavy-Duty Blower

A 100-foot vent length for the Bravos® dryer's 1,950 RPM blower system offers the ultimate flexibility for reliable installation. Plus, increased blower speeds prevent lint from building up.

## Heavy-Duty, Die-Cast Door Hinge

This durable door hinge provides structural strength for years of dependability.

## Heavy-Gauge Steel Lid

Made of durable steel, it keeps the interior of the washer sealed off during use.

## Hose Reversal Technology

In the event of improper hose installation, front-load washers self-correct so your clothes are never damaged due to incorrect water temperatures.

## IntelliClean™ Impeller

A wash plate with fins continuously somersaults clothes through the water, effectively cleaning without the use of an agitator.

## IntelliDry® Sensor

Measures moisture levels as clothes dry to minimize the risk of overdrying and shrinking. Clothes come out dry, yet cool to the touch.

## IntelliFill™ Automatic Water Level Sensor

Built-in sensors match water usage to load size, saving both water and money.

## IntelliTemp™ Automatic Temperature Control

Monitors incoming water for correct temperature. The washer begins filling after the optimal temperature has been reached.

# Feature Definitions

## Interior Light

Illuminates clothes inside the dryer drum during loading and unloading.

## Last Cycle Recall

Automatically sets the washer or dryer to the last cycle you chose, including any options and modifiers.

## LoadFlex™ Agitator

Flex fins and a spiral design massage clothing to wash away dirt, keeping whites white and colors bright.

## MaxExtract™ Extended Spin Option

Accelerates the final spin to remove moisture from the load and reduce drying time.

## Maytag® Commercial Technology (MCT)

Select Maytag brand washers and dryers feature long lasting, commercial-grade components for your home, delivering a lifetime of strength and dependability.

## Metallic Shine Console Styling

Metallic knobs and accents highlight the strong, dependable console. Select Centennial® laundry pairs feature gold metallic console styling.

## NSF Certified Sanitary Cycle

Wash your clothes with confidence. On front-load washers, wash water temperature is increased. Top-load washers use oxygenated additives and a heater. Both remove at least 99.9% of test organisms.

## One-Piece Drain Hose

A single-piece, factory-installed drain hose helps to minimize the potential for leaks.

## Oxi/Prewash & Oxi Treat Option

Automatically dispenses oxygenated stain-fighting liquid or powder pre-treater at the right time to tackle tough stains.

## Porcelain-on-Steel Wash Basket

Resistant to scratches, stains and odors, this wash basket provides a smooth wash surface.

## Preselected Spin Speed

Spin speeds automatically adjust for greater cleaning performance.

## PureClean™ Rinse System

Effectively removes detergent and soil. Water is first showered on the load; then, a final short agitation in clean water removes any remaining dirt and residue.

## QuietSeries™ Sound Package

Reduces noise for quieter operation.

## Rainfall Clean™ Wash System

Delivers optimum water saturation and cleaning performance. The wash basket features 3 unique wash baffles with a total of 138 holes that scoop up water and thoroughly shower it onto fabrics.

## Reversible Side-Swing Door

The versatile door can swing either left or right to best fit your laundry set-up.

## Rubber-Coated, Inset Pocket Handle

Delivers strength you can see and feel as soon as you open the door. Inset and rubber-coated for comfort.

## Self-Cleaning Lint Removal System

Holes in the Bravos® stainless steel wash basket are created from the inside out, allowing the backside to catch lint. Water flushes it out through the drain.

## Sensi-Care™ Wash System

The wash basket moves faster when washing big loads, moving gently at slower speeds for delicate loads.

## Sensor-Controlled Suds Detection

Channels water into the dispenser compartment and adjusts water level and temperature for the appropriate amount of sudsing during the wash cycle.

## Smooth Balance™ Suspension System

Reduces vibration and noise in the washer, keeping loads balanced while spinning at top performance. In the dryer, drum rollers work with drum glides for quiet operation and low vibration.

## SmoothClose™ Hinge

Keeps the lid on Bravos® washers from slamming shut, protecting fingers and eliminating unwanted noise.

## Spill-Catcher™ Lid/Top/Mat

Helps prevent spills from running down the sides of the washer or dryer.

## SpinSpray™ Rinse

Water is dispersed in a cascading style to thoroughly remove dirt, detergent and other residue from items while the wash basket spins.

## Stainless Steel Wash Basket

Resists chips, scratches and odors. Super tough stainless steel maintains a smooth surface so it won't snag or pill fabrics.

## SteamClean Option

A boost of steam penetrates deep into fabric fibers to lift out and eliminate ground-in dirt and set-in soils for a more thorough clean. Can be used with Normal, Whitest Whites and Heavy Duty cycles.

## Steam Cycles

Refresh a couple of items or a full load by using steam to relax wrinkles and remove odors from dry clothing.

## Superior Vibration Control (SVC)

Bravos® washers features a reliable magnetic direct drive system, dual balance rings, four spring dampers and advanced balancing software to keep operation smooth. With minimized vibration, upper-floor installation is possible.

## SuperSize Capacity Plus

Offers the capacity to handle large loads of laundry.

## Timed Release Bleach System

Adds chlorine bleach during the last five minutes of the wash cycle to keep whites bright.

## Timed Release Detergent System

Distributes laundry detergent by channeling water through the dispenser and spraying from the top, rather than the bottom, like other front-load washers.

## Variable Speed Motor

Extracts more water from clothes than a conventional washer by operating at a speed of up to 1,000 RPMs.

## Water Save Spray Rinse

For improved energy efficiency, this option minimizes water use during spinning by spraying the load instead of filling up the washer.

## Wide-Opening Lid

Creates a larger target area for loading and unloading clothes.

## Wrinkle Prevent Option

The dryer continues to tumble after clothes are dry, without heat, to help prevent wrinkles from setting in.

## Zinc-Coated Leveling Legs

Specially designed leveling legs minimize vibration during high washer spin speeds.

## Optional Accessories



### Reinforced Hose

8212638RP: (2) 6' Nylon Hoses with 90° Elbow  
 8212487RP: (2) 5' Nylon Hoses  
 8212545RP: (2) 5' Red & Blue EPDM Hoses  
 8212656RP: (2) 10' Black EPDM Hoses

They're better than stainless! Industrial-strength hoses safely and efficiently transport hot and cold water to the washer. Includes everything you need for easy installation.



### Stacking Kit

8212640 (Performance Series laundry pair)  
 8572546 (EPIC z® laundry pair)

Conserve floor space by securely stacking your Performance Series or EPIC z® washer and dryer pair.



### Drying Rack

W10121663 (Performance Series & EPIC z® dryers)  
 W10071550A (Bravos® dryer)  
 3406839 (7.0 cu. ft. Centennial® dryer)  
 8212450A (7.4 cu. ft. Centennial® dryer)

It's the "no-tumble" solution for quietly and gently drying sneakers, sweaters, caps and more.



### Washer Tray

8212526

Protect your floor from scuffs and spills. The washer tray fits underneath the washer and includes a drain fitting, washer and lock nut.



### Dryer Vent Installer Kit

4396013RB

Lets the wall vent protrude up to 2-1/2" without having to be trimmed. This kit includes an extension collar with a 4-1/2" clearance, 4' vent section with a close elbow, 4' vent section that attaches to a wall offset and DuraSafe™ fittings.



### Vent Cleaning Brush

4210463RW (Performance Series & EPIC z® dryers)  
 8212614 (Bravos® & Centennial® dryers)

Extend dryer life, lower utility bills and reduce drying time by regularly and thoroughly removing lint with this cleaning brush.



### LP Conversion Kit for Gas Dryers

8576846A (Performance Series & EPIC z® dryers)  
 49572 (Bravos® & Centennial® dryers)  
 3392235 (Stacked Pair MGT3800T)

Successfully hooks up your gas dryer to the available connection in your home.



### Dryer Cords

PT220L: 4' 30 amp 3-prong  
 PT400L: 4' 30 amp 4-prong  
 PT600L: 6' 30 amp 4-prong

Safely connect your dryer to an electrical outlet using these dryer cords.




### Affresh™ Washer Cleaner


W10135699

Effectively remove odor-causing residue from your front-load washer while cleaning mold and mildew stains, too. Safe for your washer and even a septic tank, each bag contains 3 tablets.

# Front-Load Laundry Specifications



| WASHER MODELS                         | DIMENSIONS               |                                     |                           |                                               |
|---------------------------------------|--------------------------|-------------------------------------|---------------------------|-----------------------------------------------|
|                                       | A<br>WIDTH<br>– in. (cm) | B<br>DEPTH OF CABINET<br>– in. (cm) | C<br>HEIGHT<br>– in. (cm) | APPROXIMATE<br>SHIPPING WEIGHT<br>– lbs. (kg) |
| <b>PERFORMANCE<br/>SERIES WASHERS</b> |                          |                                     |                           |                                               |
| MHWE900V                              | 27 (68.58)               | 32-9/16 (85.80)                     | 38 (96.52)                | 251 (113.85)                                  |
| MHWE500V                              | 27 (68.58)               | 31-1/2 (80.01)                      | 38 (96.52)                | 251 (113.85)                                  |
| MHWE300V                              | 27 (68.58)               | 31-1/2 (80.01)                      | 38 (96.52)                | 251 (113.85)                                  |
| <b>EPIC z® WASHERS</b>                |                          |                                     |                           |                                               |
| MHWZ600T                              | 27 (68.58)               | 30-1/2 (77.47)                      | 36 (91.44)                | 241.41 (109.50)                               |
| MHWZ400T                              | 27 (68.58)               | 30-1/2 (77.47)                      | 36 (91.44)                | 241.41 (109.50)                               |




| DRYER MODELS                          | DIMENSIONS               |                                      |                           |                                               |
|---------------------------------------|--------------------------|--------------------------------------|---------------------------|-----------------------------------------------|
|                                       | A<br>WIDTH<br>– in. (cm) | B<br>DEPTH OF CABINET<br>– in. (cm)  | C<br>HEIGHT<br>– in. (cm) | APPROXIMATE<br>SHIPPING WEIGHT<br>– lbs. (kg) |
| <b>PERFORMANCE<br/>SERIES DRYERS</b>  |                          |                                      |                           |                                               |
| MEDE900V (ELECTRIC)<br>MGDE900V (GAS) | 27 (68.58)               | 32-9/16 (85.80)                      | 38 (96.52)                | 145.8 (67.36)                                 |
| MEDE500V (ELECTRIC)<br>MGDE500V (GAS) | 27 (68.58)               | 31-1/2 (80.01)                       | 38 (96.52)                | 145.8 (67.36)                                 |
| MEDE300V (ELECTRIC)<br>MGDE300V (GAS) | 27 (68.58)               | 31-1/2 (80.01)                       | 38 (96.52)                | 145.8 (67.36)                                 |
| <b>EPIC z® DRYERS</b>                 |                          |                                      |                           |                                               |
| MEDZ600T (ELECTRIC)<br>MGDZ600T (GAS) | 27 (68.58)               | 28-9/10 – 32-9/10<br>(73.41 – 83.57) | 36 (91.44)                | 139 (63.05)                                   |
| MEDZ400T (ELECTRIC)<br>MGDZ400T (GAS) | 27 (68.58)               | 28-9/10 – 32-9/10<br>(73.41 – 83.57) | 36 (91.44)                | 139 (63.05)                                   |


Height dimension will vary according to adjustment of leveling legs.  
Dimensions shown are for planning purposes only. See Installation  
Instructions packed with product for complete information.

# Top-Load Laundry Specifications

| WASHER MODELS              | DIMENSIONS               |                                     |                                           |                                            |                                               |
|----------------------------|--------------------------|-------------------------------------|-------------------------------------------|--------------------------------------------|-----------------------------------------------|
|                            | A<br>WIDTH<br>– in. (cm) | B<br>DEPTH OF CABINET<br>– in. (cm) | C<br>HEIGHT WITH<br>CONSOLE<br>– in. (cm) | D<br>HEIGHT WITH<br>LID OPEN<br>– in. (cm) | APPROXIMATE<br>SHIPPING WEIGHT<br>– lbs. (kg) |
| <b>BRAVOS® WASHERS</b>     |                          |                                     |                                           |                                            |                                               |
| MVWB800V                   | 28 (71.12)               | 27 (68.58)                          | 44 (111.76)                               | 58 (147.32)                                | 165 (74.84)                                   |
| MVWB700V                   | 28 (71.12)               | 27 (68.58)                          | 44 (111.76)                               | 58 (147.32)                                | 165 (74.84)                                   |
| MVWB400V                   | 28 (71.12)               | 27 (68.58)                          | 44 (111.76)                               | 58 (147.32)                                | 165 (74.84)                                   |
| <b>CENTENNIAL® WASHERS</b> |                          |                                     |                                           |                                            |                                               |
| MVWC700V                   | 26-7/8 (68.26)           | 25-1/2 (64.77)                      | 43 (109.22)                               | 51 (129.54)                                | 151 (68.49)                                   |
| MVWC500V                   | 26-7/8 (68.26)           | 25-1/2 (64.77)                      | 43 (109.22)                               | 51 (129.54)                                | 151 (68.49)                                   |
| MVWC400V                   | 26-7/8 (68.26)           | 25-1/2 (64.77)                      | 43 (109.22)                               | 51 (129.54)                                | 151 (68.49)                                   |
| MVWC300V                   | 26-7/8 (68.26)           | 25-1/2 (64.77)                      | 43 (109.22)                               | 51 (129.54)                                | 151 (68.49)                                   |




| DRYER MODELS                          | DIMENSIONS               |                                        |                                            |                           |                                                     |
|---------------------------------------|--------------------------|----------------------------------------|--------------------------------------------|---------------------------|-----------------------------------------------------|
|                                       | A<br>WIDTH<br>– in. (cm) | B<br>DEPTH OF<br>CABINET<br>– in. (cm) | C<br>DEPTH WITH<br>DOOR OPEN<br>– in. (cm) | D<br>HEIGHT<br>– in. (cm) | APPROXIMATE<br>SHIPPING WEIGHT<br>– lbs. (kg)       |
| <b>BRAVOS® DRYERS</b>                 |                          |                                        |                                            |                           |                                                     |
| MEDB800V (ELECTRIC)<br>MGDB800V (GAS) | 29 (73.66)               | 29-1/2 (74.93)                         | 52-1/2 (133.35)                            | 44 (111.76)               | Electric:<br>163.7 (74.25)<br>Gas:<br>166.7 (75.61) |
| MEDB700V (ELECTRIC)<br>MGDB700V (GAS) | 29 (73.66)               | 29-1/2 (74.93)                         | 52-1/2 (133.35)                            | 44 (111.76)               | Electric:<br>160.7 (72.89)<br>Gas:<br>163.5 (74.16) |
| MEDB400V (ELECTRIC)<br>MGDB400V (GAS) | 29 (73.66)               | 29-1/2 (74.93)                         | 52-1/2 (133.35)                            | 44 (111.76)               | Electric:<br>153.5 (69.62)<br>Gas:<br>156.3 (70.89) |
| MEDB200V (ELECTRIC)<br>MGDB200V (GAS) | 29 (73.66)               | 27-1/2 (69.85)                         | 52-1/2 (133.35)                            | 44 (111.76)               | Electric:<br>155.5 (70.53)<br>Gas:<br>158.3 (71.80) |
| <b>CENTENNIAL® DRYERS</b>             |                          |                                        |                                            |                           |                                                     |
| MEDC700V (ELECTRIC)<br>MGDC700V (GAS) | 27 (68.58)               | 29-1/4 (74.30)                         | 51-1/2 (130.81)                            | 43 (109.22)               | Electric:<br>127 (57.61)<br>Gas:<br>131 (59.42)     |
| MEDC500V (ELECTRIC)<br>MGDC500V (GAS) | 29 (73.66)               | 27-13/16 (70.64)                       | 42-1/2 (107.95)                            | 43 (109.22)               | Electric:<br>127 (57.61)<br>Gas:<br>131 (59.42)     |
| MEDC400V (ELECTRIC)<br>MGDC400V (GAS) | 29 (73.66)               | 27-13/16 (70.64)                       | 42-1/2 (107.95)                            | 43 (109.22)               | Electric:<br>124 (56.25)<br>Gas:<br>132.5 (60.10)   |




Height dimension will vary according to adjustment of leveling legs.  
Dimensions shown are for planning purposes only. See Installation  
Instructions packed with product for complete information.


# Specialty Laundry Specifications



**WASHER/DRYER**  
(ME/GT3800T)



**WASHER**  
(MAH2400AW)



**DRYER**  
(MDE2400AY)

| MODELS     | DIMENSIONS               |                                     |                           |                                                |                                                     |
|------------|--------------------------|-------------------------------------|---------------------------|------------------------------------------------|-----------------------------------------------------|
|            | A<br>WIDTH<br>– in. (cm) | B<br>DEPTH OF CABINET<br>– in. (cm) | C<br>HEIGHT<br>– in. (cm) | D<br>DEPTH WITH<br>DOOR OPEN 90°<br>– in. (cm) | APPROXIMATE<br>SHIPPING WEIGHT<br>– lbs. (kg)       |
| ME/GT3800T | 27-1/2 (69.85)           | 27-1/2 (69.85)                      | 73 (185.42)               | 51-1/4 (130.18)                                | Electric: 311-1/2 (141.29)<br>Gas: 309-1/2 (140.39) |
| MAH2400AW  | 23-1/2 (59.69)           | 24 (60.96)                          | 33-1/4 (84.46)            | 41-1/4 (104.78)                                | 175 (79.38)                                         |
| MDE2400AY  | 23-1/2 (59.69)           | 23-3/4 (60.33)                      | 33-1/4 (84.46)            | 40 (101.6)                                     | 130 (58.97)                                         |

Height dimension will vary according to adjustment of leveling legs.  
Dimensions shown are for planning purposes only. See Installation  
Instructions packed with product for complete information.

## Warranty Information

### PARTS AND LABOR

For one (1) year from the original retail purchase date. See Use and Care Guide for details.

### IF YOU NEED SERVICE

First, see the Troubleshooting section in your Use and Care Guide, or call the dealer from whom your appliance was purchased. Or, call Maytag Services LLC Customer Assistance at 1-800-462-9824 or 1-800-807-6777 (Canada) to locate an authorized servicer.

## Customer Contact Information

### CUSTOMERS MAY CALL:

Maytag® Customer Service: 1-800-462-9824  
Monday–Friday, 8 a.m.–8 p.m.  
Saturday, 10 a.m.–3 p.m. (Eastern time)

**MAYTAG®**

Built Strong to Last Long.

**maytag.com** LAUNDRY 1-2-3 and AFFRESH are trademarks of Whirlpool, U.S.A.

©Registered trademark/™Trademark of Maytag Corporation or its related companies. ©2008. All rights reserved. Form No. MMLL155. Printed in the U.S.A. 6/08.